



www.ajwinledlights.com

ABOUT US

We are introducing our self as one of the leading manufacturer of domestic, industrial, commercial led lighting & control equipments. Established in the year 2002 in Ahmedabad (Gujarat), we, Maruti Lighting & Control are engaged in manufacturing & supplying a wide range of Led street lights, Led Flood lights, Panel lights, COB lights & Control Equipments like ELCB, Time switch, Water Level Controller, electronic starter ect. Due to their features like maintenance free, easy to install, energy efficient, long service life, high illumination & precisely designed, these products are highly demanded among our clients. We offer the above services at great quality with most reasonable price to the leading elevator manufacturers, chemical industries, pharmaceuticals co., big shopping malls, bungalows and hospitals etc. As our moto is customer satisfaction, we provide adequate warranty & guarantee on products.






COBLIGHT



TRIM SERIES

Watt	:	6/12/18 Watt
Cut Out	:	55/75/90 MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	36°
Material	:	Aluminium
Body Colour	:	Black/White






ORIO

- Watt** : 8/12/18/24/30 Watt
Cut Out : 50/75/85/110/110 MM
CCT : 3K/4K/5K/6K
Beam Angle : 38°/40°/60°/60°/60°
Material : Aluminium
Body Colour : White/Black




3K 4K 5K 6K



ROSE GOLD

Watt : 3/8/12 Watt
Cut Out : 40/50/75 MM
CCT : 3K/4K/5K/6K
Beam Angle : 24/30/38
Material : Aluminium
Body Colour : Black/White
Reflector Color : Copper /Shine Black





GRACE

Watt : 7/12/18 Watt
Cut Out : 50/75/85 MM
CCT : 3K/4K/5K/6K
Beam Angle : 38°
Material : Aluminium
Body Colour : Black
Reflector Color: Black



3K 4K 5K 6K


HONEY COMB

Watt : 7/12 Watt
Cut Out : 50/75MM
CCT : 3K/4K/5K/6K
Beam Angle : 30/38°
Material : Aluminium
Body Colour : White/Black
Reflector color : Black



3K 4K 5K 6K





BEAT

Watt	:	8/12/18 Watt
Cut Out	:	60/75/85 MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	60°
Material	:	Aluminium
Body Colour	:	White/Black
Reflector color	:	Shine Black

Antiglare Model



3K 4K 5K 6K



TWINE SERIES

Watt	:	12/2x12 Watt
Cut Out	:	75 / 150x75 MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	38°
Material	:	Aluminium
Body Colour	:	Black/White



3K 4K 5K 6K

WEGO

Watt	:	8/12 Watt
Cut Out	:	75 / 95 MM
CCT	:	4K/6K
Beam Angle	:	120°
Material	:	Aluminium
Body Colour	:	White



PULL OUT

Watt	:	7/12/2x12/2x7(Sq.) Watt
Cut Out	:	40/65/135x75/75x50(Sq.) MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	40°
Material	:	Aluminium
Body Colour	:	Black/White



3K 4K 5K 6K



FLAVA

Watt	:	8/12Watt
Cut Out	:	50/75 MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	60°
Material	:	Aluminium



3K 4K 5K 6K



SURFACE PULL OUT

Watt	:	12Watt
Size	:	55x150 MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	40°
Material	:	Aluminium
Body Colour	:	Black/White

3K 4K 5K 6K

ROCKET

Watt : 12 Watt
Cut Out : 85MM
CCT : 3K/4K/5K/6K
Beam Angle : 36°
Material : Aluminium
Body Color : White

3K 4K 5K 6K



ARCH

Watt : 12 Watt
Cut Out : 75MM
CCT : 3K/4K/5K/6K
Beam Angle : 36°
Material : Aluminium
Body Color : White/Black

3K 4K 5K 6K





CUTE

Watt : 7/12 Watt
Cut Out : 30/45mm
CCT : 3K/4K/5K/6K
Beam Angle : 24/38°
Material : Aluminium



3K 4K 5K 6K



RAY

Watt : 15 Watt
Cut Out : 75mm
CCT : 3k/4k/6k
Beam Angle : 30°
Material : Aluminium
Body Colour : Black/White

3K 4K 6K





MOVABLE COB



Watt : 3/6/12/16/24/30/50 Watt
Cut Out : 58/70/85/120/120/135 MM
CCT : 3K/4K/5K/6K
Beam Angle : 60°
Material : Aluminium
Body Colour : Black/White

3K 4K 5K 6K



LANCE MOVABLE

Watt : 12 Watt
Cut Out : 75MM
CCT : 3K/4K/5K/6K
Beam Angle : 45°
Material : Aluminium
Reflector Color : Copper/Black
Body Color : Black





DEEP DOWN

Watt	:	12/18 Watt
Cut Out	:	110/130 MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	120°
Material	:	Aluminium
Body Colour	:	Black/White

**3 Step &
Dimmable/Tunable**





TRACK LIGHT

WALL LIGHT



Watt : 12/20/30 Watt
CCT : 3K/4K/5K/6K
Beam Angle : 30/38/38
Material : Aluminium
Body Colour : Black/White

Watt : 3/6/12/20/30 Watt
CCT : 3K/4K/5K/6K
Beam Angle : 24/24/30/38/38
Material : Aluminium
Body Colour : Black/White



3K 4K 5K 6K



3K 4K 5K 6K





GRACE SURFACE

Watt	:	6/12/18 Watt
Size	:	60x75/85x72/95x88MM
CCT	:	3K/4K/5K/6K
Beam Angle	:	36°
Material	:	Aluminium
Body Colour	:	Black/White



3K 4K 5K 6K





2W DOB CYLINDER

Watt	:	2 Watt
Size	:	35x35
CCT	:	3K
Beam Angle	:	36°
Material	:	Aluminium

3K

BEAT SURFACE



- Watt** : 6/12/18/24 Watt
- Size** : 60x80/75x85/85x100/110x130 MM
- CCT** : 3K/4K/5K/6K
- Beam Angle** : 60°
- Material** : Aluminium
- Body Colour** : White/Black



3K 4K 5K 6K

GR



Watt : 6/12/18 Watt
Size : 50x70/70x90/95x100 MM
CCT : 3K/4K/5K/6K
Beam Angle : 38°
Material : Aluminium



3K 4K 5K 6K



DRUM

Watt : 12/18 Watt
Size : 75x75/110x75MM
CCT : 3K/4K/6K
Beam Angle : 120°
Material : Aluminium



3K 4K 6K



ROSE GOLD CYLINDER



Watt : 6/12/18Watt
Size : 53x65/73x90/93x105MM
CCT : 3K/4K/5K/6K
Beam Angle : 38°
Material : Aluminium
Reflector Color : Copper/Black



3K 4K 5K 6K

PREMIER



Watt : 3/8/12/20/30 Watt
Size : 40x47/54x75/74x100/
95x125/95x150MM
CCT : 3K/4K/5K/6K
Beam Angle : 38°
Material : Aluminium



3K 4K 5K 6K



COPPER CYLINDER

Watt : 3 Watt
Size : 35x60 MM
CCT : 3K/4K
Beam Angle : 36°
Material : Aluminium

3K 4K



RAY SURFACE

Watt : 6/12 Watt
Size : 52x70/72x98mm
CCT : 3K/4K/6K
Beam Angle : 30°
Material : Aluminium

3K 4K 6K





LINEA



Watt : 8/12 Watt
Cut Out : 95x33MM/137x35MM
CCT : 4000K
Beam Angle : 45°
Material : Aluminium
Body Colour : White/Black
Reflector Color : Copper / Black



4K

MATRIX



Watt : 12 Watt
Cut Out : 123x25MM
CCT : 4000K
Beam Angle : 45°
Material : Aluminium
Body Colour : White/Black
Reflector Color : Copper / Black

4K



XL LINEA

Watt : 2x6 Watt
Cut Out : 100x53MM
CCT : 4000k
Beam Angle : 45°
Material : Aluminium
Body Colour : White/Black

4K



4WAY LINEA



Watt : 8 Watt
Cut Out : 45x45MM
CCT : 4000k
Beam Angle : 45°
Material : Aluminium
Body Colour : Black/White
Reflector Color : Copper/Black

4K

8WAY LINEA






Watt : 18 Watt
Cut Out : 65x65MM
CCT : 4000k
Beam Angle : 45°
Material : Aluminium
Body Colour : Black/White
Reflector Color : Copper /Black

4K

CUSTOMISE

- Size** : 35MM
- Length** : Up to 10 Ft.
- CCT** : 4K
- Beam Angle** : 45/120°
- Material** : Aluminium
- Products** : Linear, Profile, Track.







HANGING

- Size** : 5070/ 3565 / 3565 LINEAR
- Length** : 4 Ft.
- CCT** : 3K/4K/6K/3STEP
- Beam Angle** : 120°/120° / 45°
- Material** : Aluminium



MAGNETIC TRACK LIGHT

Type : Conceal /Surface
Length : 1Mtr,2Mtr,3Mtr
Size : 25mm
Material : Aluminium
Voltage : 48V



PROFILE

Watt : 12/24 Watt
Size : 300x22x38 / 600x22x38 MM
CCT : 4K
Beam Angle : 120°
Material : Aluminium

4K



LINEAR

Watt : 6/12/18 Watt
Size : 110x22x25 / 220x22x25 / 325x22x25 MM
CCT : 4K
Beam Angle : 36°
Material : Aluminium

4K



TWICE LINEAR

Watt : 6/12 Watt
Size : 112x22x86 / 225x22x86 MM
CCT : 4K
Beam Angle : 36°
Material : Aluminium 4K

TWICE PROFILE

Watt : 6/12 Watt
Size : 112x22x156 / 225x22x156 MM
CCT : 4K
Beam Angle : 120°
Material : Aluminium 4K





ROUND LINEAR

Watt : 6/12 Watt
Size : 70x30 / 115x35 MM
CCT : 4K
Beam Angle : 24°/36°
Material : Aluminium 4K

TRACK

Watt : 7/12 Watt
Size : 38x70 / 45x100 MM
CCT : 4K
Beam Angle : 24°
Material : Aluminium



HANGING

Watt : 7/12 Watt
Size : 36x300 / 46x300 MM
CCT : 4K
Beam Angle : 24°
Material : Aluminium 4K




POWER SUPPLY (48V)

Watt : 100/200 Watt



INPUT



CELLING CORNER



STRAIGHT



WALL CORNER

CORNER




24V

LED : 240Led
 SIZE : 10mm
 CCT : 3K/4K/5K/6K

LED : 216Led
 SIZE : 10mm
 CCT : Dimable/Tunable with Controller

Output : 24V.



LED STRIP

PREMIUM

LED : 120/240
 PCB Size : 5/10 MM
 CCT : 3K/4K/6K


RGB LED : 60
 PCB Size : 10 MM
 CCT : RGB

ECO

LED : 240
 PCB Size : 5/10 MM
 CCT : 3K/4K/6K


Output : 12V.

PROFILE






7MM CON

Length : 2 MTR
Body Colour : Anodized




10MM SF

Length : 2 MTR
Body Colour : Anodized



10MM CON

Length : 2 MTR
Body Colour : Anodized





12MM SF

length : 2 MTR
Body Colour : Anodized




PROFILE




12MM CON

length : 2 MTR
Body Colour : Anodized



17MM SF

Length : 2 MTR
Body Colour : Anodized



17MM CON

Length : 2 MTR
Body Colour : Anodized




23MM SF

length : 2 MTR
Body Colour : Anodized




PROFILE




23MM CON

Length : 2 MTR
Body Colour : Anodized



35MM SF

Length : 2.4 MTR
Body Colour : Anodized



35MM CON

Length : 2.4 MTR
Body Colour : Anodized

12V SMPS

AMP : 3/5/10/15/20/25/33A
Output : 12V.
Material : Aluminium



24V SMPS

AMP : 2.5/4/6.25A
Output : 24V
Material : Aluminium

LED ROPE LIGHT



2835
wireless

LED : 120
PCB : 8 MM
Lumens : 22-24
Colour : WW/ICBL/AMBR/PK
IP Code : IP65

5730



LED : 120
PCB : 8 MM
Lumens : 16-18
Colour : WH/WW/BL/PK/RD/GR
IP Code : IP65



PC PANEL



Watt : 5/8/15/18/22 Watt
Cut Out : 2.5" /4" /5" /6" /8"
CCT : 3K/4K/5K/6K
Beam Angle : 120°
Material : PC

3K
4K
5K
6K

3 STEP COMBO




Watt : 8/15/18 Watt
Cut Out : 4" /5" /6"
CCT : 3in1
Beam Angle : 120°
Material : PC

3in1

PC PANEL RING

Watt : 4" /5" /6" /8"




SLIM PANEL



Watt : 15 Watt
Cut Out : 6"
CCT : 6K
Beam Angle : 120°
Material : Aluminium

6K


3 IN 1 PANEL



Watt : 6/12/18 Watt
Size (Surface) : 75x30/105x30/160x30 MM
Cut Out (Recessed) : 3"/4"/6"
Beam Angle : 120°
Material : Aluminium

SURFACE / RECESSED






JELLY PANEL

Watt : 6/12 Watt
Cut Out : 2.5" /4"
Beam Angle : 120°
Material : Aluminium
Color : WH+PGB

6K



SURFACE JELLY



Watt : 6/12 Watt
Beam Angle : 120°
Material : Aluminium
Color : WH+PGB

6K

REEMLESS



Watt	:	8/15/22 Watt
Size (DxH)	:	110x30/160x30/210x30 MM
CCT	:	3K/4K/6K/3IN1
Beam Angle	:	120°
Material	:	Aluminium

3Step In
15Watt



BORDERLESS



Watt	:	12/18 Watt
Size (DxH)	:	125x30/150x30 MM
CCT	:	3K/4K/6K
Beam Angle	:	120°
Material	:	PC
Body Colour	:	Black/White



1X1 PANEL



Watt : **30 Watt**
Cut Out : 295x295MM
CCT : 6K
Beam Angle : 120°
Material : Aluminium

6K

2X2 PANEL



Watt : **48 Watt**
Cut Out : 595x595mm
CCT : 6K
Beam Angle : 120°
Material : Aluminium

6K

1/36 LED PANEL



Watt : **36 Watt**
Cut Out : 495x137MM
CCT : 6K
Beam Angle : 120°
Material : Aluminium

6K

2G 11




Watt : **18 Watt**
CCT : 6K
Beam Angle : 120°
Material : Aluminium

6K

FLOODLIGHT

GLAZE

Watt	:	24/30/50/100/150/200 Watt
Lumens	:	140
CCT	:	3k/4K/6k
Beam Angle	:	120°
IP Code	:	IP65
Material	:	Aluminium
Surge	:	4/6 KV



3K 4K 6K



Watt : 100/200 Watt
Lumens : 140
CCT : 3K/4K/6K/2in1
Beam Angle : 120°
IP Code : IP65
Material : Aluminium
Surge : 4/6 KV

3K 4K 6K 2in1



Lance

Watt : 250 Watt
Lumens : 180
CCT : 3K/4K/6K
Beam Angle : 30/60°
IP Code : IP65
Material : Aluminium
Surge : 4/6 KV

3K 4K 6K



SUPER

Watt	: 24/36/48/72/100 Watt
Lumens	: 140
CCT	: 3K/4K/6K
Beam Angle	: 120°
IP Code	: IP65
Material	: Aluminium
Surge	: 4/6 KV

3K 4K 6K


CRETA

Watt	: 24/36/50 Watt
Lumens	: 140
CCT	: 3K/4K/6K
Beam Angle	: 120°
IP Code	: IP65
Material	: Aluminium
Surge	: 4/6 KV

3K 4K 6K



HIGHBAY



Watt : 50/100/150/200 Watt
Lumens : 140
CCT : 3K/4K/6K
Beam Angle : 120°
IP Code : IP65
Material : Aluminium
Surge : 4/6 KV

3K 4K 6K

ZUMMER



Watt : 60 Watt
Lumens : 140
CCT : 6K
Beam Angle : 120°
IP Code : IP22
Material : Aluminium
Surge : 4/6 KV

6K

WALL LIGHT



Item Code : 301
Watt : 5W
CCT : WW
Material : Aluminium

3K



Item Code : 303
Watt : 5W
CCT : WW
Material : Aluminium

3K



Item Code : 302
Watt : 10W
CCT : WW
Material : Aluminium

3K



Item Code : 304
Watt : 10W
CCT : WW
Material : Aluminium

3K

K TYPE



Watt : 5+5 Watt
CCT : 3K
Material : Aluminium

3K



HALF K

Watt : 5 Watt
CCT : 3K
Material : Aluminium

3K



SPIKE

Watt : 6/12 Watt
CCT : 3K
Material : Aluminium

3K

1 + 1

Watt : 2+2 Watt
Color : 3K/RGB
Material : Aluminium



3 + 3

Watt : 6+6 Watt
Color : 3K/RGB
Material : Aluminium

2 + 2




3K RGB

Watt : 4+4 Watt
Color : 3K/RGB
Material : Aluminium



3K RGB



4 WAY BALL

Watt : 8 Watt
 CCT : 3K
 Material : Aluminium

3K



6 WAY BALL

Watt : 12 Watt
 CCT : 3K
 Material : Aluminium

3K

FOOT LIGHT

Watt : 3Watt
 Size : 2M
 CCT : 3K
 Material : Aluminium
 Body Color : White / Black

3K



FOOT LIGHT

Watt : 4/8Watt
 Size : 2M/4M
 CCT : 3K
 Material : Aluminium

3K

BOLLARD



Item Code : 900
Watt : **7W**
CCT : WW
Size : 160
Material : Aluminium

3K



Item Code : 903
Watt : **7W**
CCT : WW
Size : 160
Material : Aluminium

3K



Item Code : 901
Watt : **10W**
CCT : WW
Size : 250
Material : Aluminium

3K



Item Code : 904
Watt : **10W**
CCT : WW
Size : 250
Material : Aluminium

3K

BOLLARD



Item Code : 101
Watt : **7W**
CCT : WW
Size : 200/600/800MM
Material : Aluminium

3K

Item Code : 102
Watt : **7W**
CCT : WW
Size : 200/600/800MM
Material : Aluminium

3K



Item Code : 103
Watt : **7W**
CCT : WW
Size : 300/600MM
Material : Aluminium

3K



BOLLARD



Item Code : 104
Watt : 6W
CCT : WW
Size : 300/600MM
Material : Aluminium

3K

Item Code : 105
Watt : 7W
CCT : WW
Size : 200/600MM
Material : Aluminium

3K



Item Code : 106
Watt : 7W
CCT : WW
Size : 200/600MM
Material : Aluminium

3K

BOLLARD



Item Code : 107
Watt : **7W**
CCT : WW
Size : 200/600MM
Material : Aluminium

3K

Item Code : 108
Watt : **16/24/40 W**
CCT : WW
Size : 430/530/830MM
Material : Aluminium

3K






I-FASHION COB

Watt : 3+3W
Cut Out : 38.5MM
CCT : WH+WW+NW / 3IN1
Beam Angle : 40°
Material : PC

3in1

I-RAINBOW



Watt : 8+8W
Cut Out : 72MM
CCT : WH+PGB
Beam Angle : 120°
Material : PC

6K





I-MASHROOM

Watt : 7+7W
Cut Out : 45MM
CCT : WH+PK / WH+BL /WH+PGB
Beam Angle : 120
Material : PC



I-UFO

Watt : 12W / 12+12W
Cut Out : 35 , 56MM
CCT : WH / WH+PGB
Beam Angle : 120
Material : PC



DOB BUTTON



Watt : 2 Watt
Cut Out : 25 MM
CCT : 3K/4K
Beam Angle : 36°
Material : Aluminium
Body Colour : Black/White

3K 4K

BUTTON



Watt : 3 Watt
Cut Out : 34 MM
CCT : 3K/6K/GR/BL/PK/RD/RGB
Beam Angle : 36°
Material : Aluminium
Body Colour : White

3K 6K GR BL PK RD RGB

COPPER BUTTON



Watt : 3 Watt
Cut Out : 34 MM
CCT : 3K/4K
Beam Angle : 36°
Material : Aluminium
Body Colour : Copper/Black/White

3K 4K

FLOW COB



Watt : 3/5Watt
Cut Out : 60/75MM
CCT : 3K/4K/6K/RD/GR/BL/PK/3in1
Beam Angle : 60°
Material : PC



TRACK PATTI




MTR : 1/2 mtr
Material : Aluminium
Body Colour : BLACK/WHITE

LED STRIKER

WATT : 3W
CCT : BL/PK/WH/WW/NW/3IN1
Material : PC



SURFACE STRIKER



WATT : 5W
IP Rating : Ip65
CCT : 3K/4K
Material : Alluminium



I-STRIKER

Watt : 3W
CCT : WW
Beam Angle : 120
Material : PC
Size : 62x16x50



DEEP JUNCTION



Watt : 5 Watt
Cut Out : 50MM
CCT : RD/BL/PK/WW/WH/3in1
Beam Angle : 120°
Material : PC

MOON LIGHT



Watt : 9 Watt
CCT : WH/WW/BL/PK/GR
Beam Angle : 120°
Material : PVC

3K 6K GR BL PK RD

3K 6K GR BL PK

BULKHEAD



WATT : 12W
 CCT : WHITE
 IP RATING : IP 65
 MATERIAL : PC

WH

PICTURE LIGHT



WATT : 10W
 CCT : WH+WW+NW
 COLOUR : WOODEN

3in1

2M SHUTER



CCT : WH/WW/PK/BL

2M WESTERN



CCT : WH/WW/PK/BL

2M SCENERY




CCT : WH/WW/PK/BL

4M WESTERN



CCT : WH/WW/PK/BL

4M SILKY



CCT : WH/WW/PK/BL

4M PLATINUM



CCT : WH/WW/PK/BL

4M STAIR



CCT : WH/WW/PK/BL

ELCB + MCB



NAME : 7+ DIGITAL ELCB (FULLY AUTO)
AMP : 32 AMP



NAME : 7+ ELCB (FULLY AUTO)
AMP : 32 AMP



NAME : COLOUR ELCB + MCB (HV PROTECTION)
AMP : 32 AMP
INPUT : 230/AC/1 PHASE WITH INDICATOR & SIRON



NAME : 5+ DIGITAL ELCB (HV PROTECTION)
AMP : 32 AMP



NAME : ELCB + MCB
(HV PROTECTION)
AMP : 32/40 AMP



NAME : MINI ELCB
(HV PROTECTION)
AMP : 32/40/63 AMP



NAME : 3 PHASE
ELCB + MCB
AMP : 32/40/63 AMP

TIME SWITCH



AMP
20 AMP

AC STARTER



AMP
4 TO 24 AMP

WATER LEVEL CONTROL



POWER : 1 PHASE (LLC 2)

S.S SENSOR



FLOT SENSOR



POWER : 3 PHASE (LLC)

1 PHASE LLC (1 TANK)



POWER : 1 PHASE LLC (1 TANK)
CAPACITY : 0.5HP

ALL TYPE REGULATOR



SWITCH TYPE
HUM FREE



SOCKET TYPE
HUM FREE



OPEN-11
HUM FREE




SOCKET
DIMMER



SWITCH
DIMMER



SWITCH MODULAR SILVER



SOCKET MODULAR SILVER



Scan here for
more information

Maruti Lighting & Control
Ahmedabad, Gujarat

www.ajwinledlights.com | ajwin1978@gmail.com

